




SDS max

Typical Applications:

- Heavier duty applications and larger diameter drill sizes .
- Ideal where smoother rounder holes are required.
- For longer length and larger diameter drilling.



1. Deep flute design maximises spoil removal.

2. Unique cross head design allows faster drilling, producing smoother rounder holes and further extending drill bit life.

● The ultimate performance rotary hammer bit for SDS max drilling machines.

Product Specification

DRILL LENGTH (mm)	AVAILABLE IN DIA. (mm)	AVAILABLE IN DIA. (mm)
	SINGLE HEAD	CROSS HEAD
370	-	20, 22, 24, 25, 26, 28, 30, 32, 35, 38, 40
390	12, 13, 14, 15	16, 18, 19
520	-	20, 22, 24, 25, 26
540	12, 13, 14	15, 16, 18, 19
570	-	28, 30, 32, 35, 38, 40
920	-	16, 20, 22, 25, 32



SDS plus

Typical Applications:

- For heavy duty drilling applications in structural concrete and engineering brick.
- Ideal where rapid spoil removal is essential.



1. Twin spiral shank for fast, effective, clearance of spoil.

2. Specially designed tip outperforms other brands for performance and longevity.

● Developed for SDS plus rotary hammer drilling machines.
● Provides faster, easier drilling with lower power consumption.

Product Specification

DRILL LENGTH (mm)	AVAILABLE IN DIA. (mm)
110	4, 5, 5.5, 6, 6.5, 7, 8, 10
150	13, 14, 15, 16
160	5, 5.5, 6, 6.5, 7, 8, 9, 10, 11, 12
200	14, 16, 17, 18, 19, 20
210	5, 5.5, 6, 6.5, 7, 8, 9, 10, 11, 12
250	12, 13, 14, 15, 18, 20, 22, 24, 25, 26
260	8, 10, 11
300	12, 13, 14, 16, 18, 20
310	10, 11
350	13
360	10
450	8, 10, 12, 13, 14, 15, 16, 18, 19, 20, 22, 24, 25, 26
600*	10, 12, 14, 16, 18, 20, 25
800*	16, 20, 25
1000*	10, 12, 14, 16, 18, 20, 22, 25

*Please contact sales office for lead times.